

COUNCIL MEETING AGENDA REQUEST FORM

COUNCIL MEETING DATE: August 12, 2025

SUBJECT/REASON FOR AGENDA ITEM: _____

Temporarily Alcohol Permit Waiver | Open Container Law Waiver

Other: _____

Please be specific about the reason to be on the agenda.

A Resolution to purchase a Kubota KX040-5R3A Excavator for total amount of \$68,945.60. Star Equipment will be the delivering dealer, State Contract # 4400026020

Requested By: Streets Department

NAME: Charles Borchers

ADDRESS _____

PHONE # _____ CELL PHONE: _____

EMAIL: _____ FAX: _____

Please note that the Hammond City Council meets the Second and Fourth Tuesday of the Month at 5:30pm, 312 East Charles Street, Hammond, LA 70401, All requests have to be submitted to the City Council Clerk by the Wednesday prior of the meeting no later than 4:30pm, All requests can be submitted electronically to cockerham_la@hammond.org or fax (985) 277-5611. If you have any questions please call (985) 277-5610

BELOW TO BE FILLED OUT BY COUNCIL CLERK

DATE RECEIVED: _____ TIME RECEIVED: _____

Council Clerk: Lisa Cockerham Agenda Item Number _____

Approved: _____ (Yes) _____ (No)

Remarks: _____

Kip Andrews
Council President

Lisa Cockerham

Date



Contract Numbers
 CE - 4400026020
 AG - 4400025216
 Turf - 4400025089

KX040-5R3A WEB QUOTE #2872450

Date: 4/30/2025 8:47:37 AM

- Customer Information -
 PANEPINTO, PETE
 CITY OF HAMMOND
 office@startractors.com
 985-277-5956

Quote Provided By
 STAR EQUIPMENT
 ARIEANNE THORNHILL
 42254 E. I 55 SERVICE RD.
 HAMMOND, LA 70403
 email: office@startractors.com
 phone: 9853457891

- Standard Features -

- Custom Options -



K Series KX040-5R3A
 *** EQUIPMENT IN STANDARD MACHINE ***

FEATURES

7" LCD color display - standard
 Auto Idler
 Rubber Track Model
 ROPS/OPG (Top Guard, Level
 I) 4-Post Canopy
 Suspension Seat
 Kubota 1 Hydraulic Pump Load
 Sensing System
 1 Variable Displacement Pump
 All Controls Hydraulic Pilot
 Controls
 Two Operating Pattern
 Selection System
 Accumulator
 Digital Control Panel
 Attachment Flow Presets,
 Service Alerts
 Standard Front Dozer Blade w/
 Float
 360 Degree Full Rotation
 70 Degree Left, 55 Degree
 Right Boom Swing
 17.2 gpm Adjustable Auxiliary
 Hydraulics Port 1
 Auxiliary Hydraulics Diverter
 Valve
 Thumb Bracket and Relief
 Valves
 Five Second Quick Preheat
 System
 Key Switch Stop System
 Half Pitch Rubber Tracks
 Self Bleed Fuel System
 Auto-Downshift Two Speed
 Travel System
 Swivel Negative Brake
 Travel Negative Brake
 Third Line

ENGINE

D1803 Kubota DI Turbo CRS Tier 4
 Diesel Engine
 3 Cylinder, 4 Cycle
 38.9 Net HP @ 2200 rpm

OPERATIONAL

DIMENSIONS

Max Digging Depth 11' 2.7"
 Max Digging Radius @ Ground
 Level 17' 9"
 Max Vertical Digging Depth 7' 4.8"
 Max Dumping Height 12' 9.5"

DOZER BLADE

DIMENSIONS

Width 66.9"
 Height 15.75"
 Lift Above Ground 15.17"
 Drop Below Ground 15.94"

PERFORMANCE

Digging Force @ Bucket (K7875)
 9,535 lbs.
 Digging Force @ Dipper Arm 4,112
 lbs.
 Travel Speed (Low) 1.8 mph
 Travel Speed (High) 3.1 mph
 Climbing Ability 36% / 20°
 Lift Capacity 4,080 lbs.
 Over Front
 Blade Grounded
 2.0 ft. Load Point Height
 8.0 ft. Load radius

**DIMENSIONS AND
 OPERATING WEIGHT**

KX040-5R3A, Rubber Tracks,
 Air Conditioned
 ROPS/OPG (Top Guard, Level
 I) Cab, Dozer Blade
 Overall Length 16' 8.1"
 Overall Width 5' 8.9"
 Overall Height 8' 1.8"
 Operating Weight 9,885 lbs.*
 Ground Clearance 12.9"
 * Includes operator's weight,
 175 lbs.

KX040-5R3A Base Price: \$76,538.00

(1) 38" Q.A. DRAINAGE BUCKET \$1,806.00
 K7877B-38" Q.A. DRAINAGE BUCKET

(1) QUICK COUPLER \$1,435.00
 K7870A-QUICK COUPLER

(1) 38" BOLT ON CUTTING EDGE \$238.00
 K7474A-38" BOLT ON CUTTING EDGE

(1) HYD THUMB KIT \$4,063.00
 K7810A-HYD THUMB KIT

Configured Price: \$84,080.00

State of Louisiana Discount: (\$15,134.40)

SUBTOTAL: \$68,945.60

Dealer Assembly: \$0.00

Freight Cost: \$0.00

PDI: \$0.00

Total Unit Price: \$68,945.60

Quantity Ordered: 1

Final Sales Price: \$68,945.60

**Purchase Order Must Reflect
 the Final Sales Price**

To order, place your Purchase Order directly with the quoting
 dealer

*All equipment specifications are as complete as possible as of the date on the quote. Additional attachments, options, or accessories may be added (or deleted) at the discounted price. All specifications and prices are subject to change. Taxes are not included. The PDI fees and freight for attachments and accessories quoted may have additional charges added by the delivering dealer. These charges will be billed separately. Prices for product quoted are good for 90 days from the date shown on the quote. All equipment as quoted is subject to availability.

ATTACHMENT C - PRICE SHEET
KUBOTA TRACTOR CORPORATION
KUBOTA BN INDUSTRIAL EQUIPMENT-STATEWIDE
 State Contract 4400026020 T-NO. 92717

LINE NO.	DESCRIPTION	UNIT OF MEASURE	DELIVERY TIME (DAYS)	DISCOUNT OFFERED OFF MANUFACTURERS MOST CURRENT PUBLISHED PRICE LIST
1	KUBOTA BRAND NAME INDUSTRIAL EQUIPMENT, UNIT PRICE CANNOT EXCEED \$400,000.00. MANUFACTURER'S CURRENT PRICE LIST DATED: <u>January 1, 2023</u>	EACH	270	18%
3	KUBOTA BRAND NAME ATTACHMENTS AND ACCESSORIES, UNIT PRICE CANNOT EXCEED \$400,000.00. MANUFACTURER'S CURRENT PRICE LIST DATED: <u>January 1, 2023</u>	EACH	270	18%

DIVISION OF ADMINISTRATION

STATE OF LOUISIANA



Office of State Procurement

Contract Detail

Contract #	4400026020	T-number	92717 - INDUSTRIAL EQUIP-KUBOTA BN
Description	Kubota BN Industrial Equipment - SW		
LAPS Contract	Yes	Prime Vendor Name	KUBOTA TRACTOR CORPORATION
SEBD Vendor	No	SE/HI Vendor	No
VSE Vendor	No	DVSE Vendor	No
Effective From-To	12/01/2022 - 11/30/2025	Coop Procure	Yes
Delivery Days ARO	0		
P-card Accepted	No		
Discounts Apply	No		

Locations

Statewide

Buyer Information

Buyer Code	90000018	Purchasing Agency	Office of State Purchasing
Buyer Name	DONALD HUNTER	Contact Email	DONALD.HUNTER2@LA.GOV
Contact Phone	225-342-5484		

Vendor Distributor

Vendor Name	SEBD	SE/HI	VSE	DVSE	Order/General Address
CHL ENTERPRISES INC	NO	NO	NO	NO	5909 COLISEUM BLVD ALEXANDRIA , LA 71301 PO BOX 30 DONALDSONVILLE , LA 70346
LEMANN'S FARM SUPPLY INC	NO	NO	NO	NO	Contact: Joette Louque Email: manager@lemanns.com Phone: 225-473-7927 FAX: 225-473-5759 5017 I 49 SOUTH SVC RD OPELOUSAS , LA 70570
PROGRESSIVE TRACTOR &	NO	NO	NO	NO	Contact: EDDIE VILLEMARETTE Email: EDDIEV@PTIEQ.COM Phone: 337 351-7340 FAX: 337 678-1960 PO BOX 844 RUSTON , LA 71273-0844
RUSTON TRACTOR INC	NO	NO	NO	NO	Contact: Jeremy Gantt Email: heather@rustontractor.com Phone: 318-251-2946 FAX: 318-255-8739 13173 AIRLINE HWY GONZALES , LA 70737
ASCENSION EQUIPMENT SALES &	NO	NO	NO	NO	1210 ST CHARLES HOUMA , LA 70360 Contact: Steven Marmande Email: smarmande@mlind.net Phone: 985-876-2280 FAX: 985-872-9596 Contact: Jim Barrett Email: jbarrett@mlind.net Phone: 985-876-2280 FAX: 985-872-9596 Contact: Kelly Hannan Email: khannan@mlind.net Phone: 225-355-7716 FAX: 225-355-7497 10203 AIRLINE HWY ST ROSE , LA 70087
M & L INDUSTRIES LLC	NO	NO	NO	NO	Contact: Kenny Risch Email: kenny@leetractor.net Phone: 5044676794 FAX: 5044676799 42254 E I 55 SERVICE RD HAMMOND , LA 70403
LEE TRACTOR CO INC	NO	NO	NO	NO	Contact: Charles Ciolino Email: OFFICE@STARTRACTORS.COM Phone: 985-345-7891 FAX: 985-345-2380 129 BANKS AVE LAFAYETTE , LA 70506
MITCHCO INC	NO	NO	NO	NO	Contact: MICHAEL CHAPMAN Email: MICHAEL@OGEMACHINERY.COM Phone: 3372787221 FAX: 3372353440 Contact: Matt Worsham Email: matt@ogemachinery.com Phone: 337-235-3310 FAX: 220 S. ADAMS ST WELSH , LA 70591
OGEM' MACHINERY LLC	NO	NO	NO	NO	Contact: Estelle Fontenot Email: efontenot@abellandson.com Phone: 337-734-2222 FAX: 337-734-4124
ABELL & SON INC	NO	NO	NO	NO	

					<p>Contact: Ryan Abell Email: rabell@abellandson.com Phone: 337-734-2222 FAX: 1017 RONALD REAGAN HWY COVINGTON , LA 70433</p>
EVERGREEN TRACTOR & EQUIPMENT INC	NO	NO	NO	NO	<p>Contact: Ben Villet Email: ben@evergreentractor.com Phone: 9858933720 FAX: Contact: James Felder Email: evergreentractor@bellsouth.net Phone: 985-893-3720 FAX: 985-893-5198 10049 N REIGER RD BATON ROUGE , LA 70809-4559</p>
M & L INDUSTRIES INC	NO	NO	NO	NO	<p>Contact: Kelly Hannan Email: khannan@mlind.net Phone: 225-355-7716 FAX: 225-355-7497 Contact: John Stafford Email: jstafford@mlind.net Phone: 225-355-7716 FAX: 225-355-7497 Contact: Leland Morrison Email: lmorrison@mlind.net Phone: 225-355-7716 FAX: 225-355-7497 5909 COLISEUM BLVD ALEXANDRIA , LA 71303</p>
CHL ENTERPRISES LLC	NO	NO	NO	NO	<p>Contact: David Broussard Email: dbroussard@loewerps.com Phone: 318-487-9495 FAX: 318-445-1066 2351 E MCNEESE ST LAKE CHARLES , LA 70607</p>
HENDERSON IMPLEMENT & MARINE	NO	NO	NO	NO	<p>Contact: KRISTIN GILBERT Email: DUMMY@LA.GOV Phone: (337) 734-3795 FAX: 11238 VETERANS MEMORIAL DR ABBEVILLE , LA 70510</p>
HENDERSON IMPLEMENT & MARINE LLC	NO	NO	NO	NO	<p>Contact: Jonathan Lovett Email: jlovett@hi-m.us Phone: 337-368-8133 FAX: 337-893-3832 Contact: EVELYN BERTRAND Email: EBERTRAND@HI-M.US Phone: 337-310-0345 FAX: 337-734-3795 PO BOX 304 DERIDDER , LA 70634</p>
SIMMONS TRACTOR & HARDWARE INC	NO	NO	NO	NO	<p>Contact: Shannon Jantz Email: office@simmonstractor.net Phone: 337-463-8573 FAX: 337-462-5028 2402 BREAUX BRIDGE RD, LAFAYETTE , LA 70501</p>
SAMMY BROUSSARD EQUIPMENT	NO	NO	NO	NO	<p>Contact: Bob Guillory Email: sbtadmgr@aol.com Phone: 337 364 7681 FAX: 337 364 8278 1511 CENTER ST NEW IBERIA , LA 70560</p>
SAMMY BROUSSARD EQUIPMENT CENTER	NO	NO	NO	NO	<p>Contact: Marty Lejeune Email: m.lejeune@samybroussard.com Phone: 337-367-5296 FAX: 337-364-8278 2110 CENTER ST MONROE , LA 71202</p>
RUSTON TRACTOR INC	NO	NO	NO	NO	<p>Contact: HEATHER BODDIE Email: HEATHER@BAYOUKUBOTA.COM Phone: 3182432453 FAX:</p>
KUBOTA TRACTOR CORPORATION	NO	NO	NO	NO	<p>1000 KUBOTA DR GRAPEVINE , TX 76051 Contact: Trisha Davis Email: trisha.davis@kubota.com Phone: 8178765819 FAX: 817-399-1002 Contact: Todd Stucke Email: todd.stucke@kubota.com Phone: 310-294-0877 FAX: Contact: Alex Woods Email: alex.woods@kubota.com Phone: 817-532-5585 FAX: Contact: Jon Cheek Email: jon.cheek01@kubota.com Phone: 817-532-3875 FAX: Contact: Paul Manger Email: paul.manger@kubota.com Phone: 817-438-5849 FAX: Contact: Rusty Pugh Email: rusty.pugh@kubota.com Phone: 1-917-716-3587 FAX: Contact: Tyler Knudson Email: tyler.knudson@kubota.com Phone: 8173040520 FAX: Contact: Chris Peppers Email: chris.peppers@kubota.com Phone: 682-808-9120</p>

FAX:
Contact: Michael Bond
Email: Michael.Bond@kubota.com
Phone: 8179407119
FAX:
Contact: Mark Adams
Email: mark.adams@kubota.com
Phone: 630-488-8001
FAX:

Contract Items

Line #	Product Category	Material/ Part Number	Line Item Description	No. of Catalog Items	UOM	Gross Price
1	22101701		Industrial Equipment	0		\$0.00

[View Contract](#) [View Notes](#) [Return](#) [New Search](#) [Show Additional Attachments](#)

K Series KX040-5

KX040-5 Hydraulic Excavator

FEATURES

7" LCD color display - standard
 Auto Idler
 Rubber Or Steel Track Models
 ROPS/OPG (Top Guard, Level I) 4-Post Canopy or Air Conditioning Cab
 Suspension Seat
 Kubota 1 Hydraulic Pump Load Sensing System
 1 Variable Displacement Pump
 All Controls Hydraulic Pilot Controls
 Two Operating Pattern Selection System
 Accumulator
 Digital Control Panel
 Attachment Flow Presets, Service Alerts
 Standard Front Dozer Blade w/ Float
 Optional Float Angle Blade w/ Bolt-on Cutting Edge
 360 Degree Full Rotation
 70 Degree Left, 55 Degree Right Boom Swing
 17.2 gpm Adjustable Auxiliary Hydraulics Port 1
 Auxiliary Hydraulics Diverter Valve
 9.8 gpm Adjustable Auxiliary Hydraulics Port 2 Option
 Thumb Bracket and Relief Valves
 Five Second Quick Preheat System
 Key Switch Stop System
 Half Pitch Rubber Tracks
 Self-Bleed Fuel System
 Auto-Downshift Two Speed Travel System
 Swivel Negative Brake
 Travel Negative Brake
 Third Line

BASIC UNITS

KX040-5R1, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Dozer Blade
 KX040-5R1A, Rubber Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Angle Dozer Blade
 KX040-5R1I, Rubber Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Canopy, 6-in-1 Dozer Blade
 KX040-5R1AP, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Angle Dozer Blade, SP2
 KX040-5R1TP, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, 6-in-1 Dozer Blade, SP2
 KX040-5R3, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Dozer Blade
 KX040-5R3A, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Angle Dozer Blade
 KX040-5R3T, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, 6-in-1 Dozer Blade
 KX040-5R3AP, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I), Cab, Angle Dozer Blade, SP2
 KX040-5R3TP, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I), Cab, 6-in-1 Dozer Blade, SP2

BASIC UNITS (cont'd)

KX040-5S1TP, Steel Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, 6-in-1 Dozer Blade, SP2
 KX040-5S3, Steel Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Dozer Blade
 KX040-5S3A, Steel Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Air Conditioned Cab, Angle Dozer Blade
 KX040-5S3T, Steel Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Air Conditioned Cab, 6-in-1 Dozer Blade
 KX040-5S3P, Steel Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Dozer Blade, SP2
 KX040-5S3AP, Steel Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Air Conditioned Cab, Angle Dozer Blade, SP2
 KX040-5S3TP, Steel Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Air Conditioned Cab, 6-in-1 Dozer Blade, SP2

DIMENSIONS AND OPERATING WEIGHT

KX040-5R1, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Dozer Blade
 Overall Length 16' 8.2"
 Overall Width 5' 6.9"
 Overall Height 8' 1.8"
 Operating Weight* 9,195 lbs.
 Ground Clearance 12.9"

KX040-5R3A, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Angle Dozer Blade
 Overall Length 16' 8.1"
 Overall Width 5' 6.9"
 Overall Height 8' 1.8"
 Operating Weight* 9,855 lbs.
 Ground Clearance 12.9"
 * Includes operator's weight, 175 lbs.

ENGINE

D1803 Kubota DI CRS Turbo Tier 4 Diesel Engine
 3 Cylinder, 4 Cycle ; 40.4 Gross HP, 38.9 Net HP
 @ 2200 rpm (SAE J1995 & J1349 Respectively)

OPERATIONAL DIMENSIONS

Max Digging Depth 11' 2.7"
 Max Digging Radius @ Ground Level 17' 9.0"
 Max Vertical Digging Depth 7' 4.8"
 Max Dumping Height 12' 9.5"

STANDARD DOZER BLADE DIMENSIONS

Width 66.9"
 Height 15.75"
 Lift Above Ground 15.17"
 Drop Below Ground 15.94"

PERFORMANCE

Digging Force @ Bucket (K7875) 9,535 lbs.
 Digging Force @ Dipper Arm 4,112 lbs.
 Travel Speed (Low/ High) 1.8/3.1 mph
 Climbing Ability 36% / 20"
 Lift Capacity 4,080 lbs.
 • Over Front, Blade Grounded
 • 2.0 ft. Load Point Height, 8.0 ft. Load radius

K Series KX040-5

HOW TO SELECT A KX040-5 EXCAVATOR (Sample Order Information Page)

Below are examples of a complete KX040-5 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a KX040-5R1 and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard, Level I) canopy, dozer blade, dipper arm, and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, and thumb if applicable.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
STANDARD UNIT KX040-5R1 COMPLETE ORDER AND PRICE			
BASIC UNIT:			
KX040-5R1	EXCAVATOR BASIC UNIT	8,576	\$65,916.00
With:	Rubber Tracks		
	4-Post ROPS/OPG (Top Guard, Level I) Canopy		
	Dozer Blade		
	Dipper arm		
	Counterweight		
ATTACHMENTS:			
K7796	24 inch 4.30 cu. ft. 3-Hole H. D. Bucket	265	\$1,471.00
			\$67,387.00
STANDARD UNIT KX040-5R3A COMPLETE ORDER AND PRICE			
BASIC UNIT:			
KX040-5R3A	EXCAVATOR BASIC UNIT	8,576	\$76,999.00
With:	Rubber Tracks		
	Air Conditioned ROPS/OPG (Top Guard, Level I) Cab		
	Angle Dozer Blade		
	Dipper arm		
	Counterweight		
ATTACHMENTS:			
K7870A	Quick Coupler	75	\$1,435.00
K7875A	24 inch 4.25 cu. ft. Trenching Bucket	257	\$1,986.00
K7910A	Hydraulic Thumb Kit	195	\$4,063.00
			\$84,483.00

K Series KX040-5

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL KX040-5 BASIC UNITS		
	All KX040-5 models come standard with telematics Price shown below includes the cost of the modem		
KX040-5R1	Excavator Basic Unit	8,576	\$65,916.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight		
KX040-5R1A	Excavator Basic Unit	8,576	\$69,101.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight		
KX040-5R1T	Excavator Basic Unit	8,576	\$74,005.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, 6-in-1 Dozer Blade, Dipper Arm, Counterweight		
KX040-5R1AP	Excavator Basic Unit	8,576	\$71,074.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight, SP2		
KX040-5R1TP	Excavator Basic Unit	8,576	\$75,977.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, 6-in-1 Dozer Blade, Dipper Arm, Counterweight, SP2		
KX040-5R3	Excavator Basic Unit	8,576	\$73,814.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight		
KX040-5R3A	Excavator Basic Unit	8,576	\$76,999.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight		
KX040-5R3T	Excavator Basic Unit	8,576	\$81,904.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 6-in-1 Dozer Blade, Dipper Arm, Counterweight		
KX040-5R3AP	Excavator Basic Unit	8,576	\$78,972.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2		
KX040-5R3TP	Excavator Basic Unit	8,576	\$83,875.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 6-in-1 Dozer Blade, Dipper Arm, Counterweight, SP2		

K Series KX040-5

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
KX040-5S1TP With:	Excavator Basic Unit Steel Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, 6-in-1 Dozer Blade, Dipper Arm, Counterweight, SP2	8,576	\$77,827.00
KX040-5S3 With:	Excavator Basic Unit Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight	8,576	\$75,665.00
KX040-5S3A With:	Excavator Basic Unit Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight	8,576	\$78,849.00
KX040-5S3T With:	Excavator Basic Unit Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 6-in-1 Dozer Blade, Dipper Arm, Counterweight	8,576	\$83,754.00
KX040-5S3P With:	Excavator Basic Unit Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight, SP2	8,576	\$77,637.00
KX040-5S3AP With:	Excavator Basic Unit Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2	8,576	\$80,822.00
KX040-5S3TP With:	Excavator Basic Unit Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 6-in-1 Dozer Blade, Dipper Arm, Counterweight, SP2	8,576	\$85,727.00
PART 2	BUCKET OPTIONS		
	PIN-ON BUCKETS (Order attaching pins from Parts)		
K7792A	12 inch 2.6 cu. ft. 3-HOLE BUCKET	194	\$1,185.00
K7793	16 inch 2.80 cu. ft. 3-HOLE BUCKET	220	\$1,277.00
K7794	18 inch 3.20 cu. ft. 3-HOLE BUCKET	229	\$1,331.00
K7796	24 inch 4.50 cu. ft. 3-HOLE BUCKET	265	\$1,471.00
K7797	30 inch 5.80 cu. ft. 3-HOLE BUCKET	300	\$1,614.00
K9836A	36 inch 4.17 cu. ft. DRAINAGE BUCKET	194	\$1,512.00
	HYDRAULIC QUICK COUPLER		
K7849	HYDRAULIC QUICK COUPLER For use with Quick Attach buckets	87	\$1,941.00
K7813	HYDRAULIC QUICK COUPLER COMPLETION KIT Contains all components needed to complete installation of K7849	33	\$1,028.00

KUBOTA

K Series KX040-5

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
	QUICK ATTACH BUCKETS MECHANICAL QUICK ATTACH OPTIONS		
K7870A	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes 2 mounting pins, 1 locking pin and hardware.	75	\$1,435.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required	49	\$782.00
K7872A	12 inch 2.13 cu. ft. TRENCHING BUCKET [Bucket and thumb will interfere with one another]	160	\$1,467.00
K7873A	16 inch 2.83 cu. ft. TRENCHING BUCKET	185	\$1,538.00
K7874A	18 inch 3.19 cu. ft. TRENCHING BUCKET The K7874 bucket has four teeth. The K7910 Thumb tines contact the end of the teeth and do not mesh between the teeth.	190	\$1,657.00
K7874C	18 inch 3.19 cu. ft. TRENCHING BUCKET This is the same bucket as K7874A (WITHOUT shanks for teeth)	180	\$1,657.00
K7875A	24 inch 4.25 cu. ft. TRENCHING BUCKET	257	\$1,986.00

KUBOTA

K Series KX040-5

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
K7875C	24 inch 4.25 cu. ft TRENCHING BUCKET This is the same bucket as K7875A (WITHOUT shanks for teeth)	240	\$1,986.00
K7461	24 inch EXCAVATING RAKE	300	\$2,536.00
K7876A	30 inch 5.31 cu. ft. TRENCHING BUCKET	265	\$2,105.00
K7876	30 inch 5.31 cu. ft. TRENCHING BUCKET	305	\$2,017.00
K7546	36 inch CEMETARY BUCKET	265	\$2,455.00
K7877B	36 inch 6.64 cu. ft. SMOOTH GRADING BUCKET If used with thumb, the tines meet below cutting edge	230	\$1,806.00
K7458	36 inch GRADING BLADE	270	\$1,837.00
K7473A	36 inch 3.0 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction.	305	\$6,478.00
K7454	39 inch 4.72 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction	485	\$7,644.00
K7454A	39 inch 4.72 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction	485	\$7,350.00
PART 3	ATTACHMENTS		
K7910A	HYDRAULIC THUMB KIT K7870A Quick Coupler required K7849 Hyd coupler also compatible	195	\$4,063.00
K7474A	36 inch BOLT ON CUTTING EDGE For K7877B, K7473, Buckets	36	\$238.00
K7455A	39 inch BOLT ON CUTTING EDGE For K7454 or K7124 39 inch Tilt Grading Bucket	44	\$234.00
K7940	CANOPY WORK LIGHT KIT	6	\$174.00
K9929	STEEL CRAWLER KIT Convert tracks from rubber to steel	439	\$4,419.00
K7927	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse.	2	\$164.00
K9790	AUX Hydraulic Case drain kit Includes hose, fittings and hardware required for installation	20	\$247.00
K6748	REARVIEW CAMERA Kit - OPTIONAL	4	\$382.00

K Series KX040-5

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 4	ROPS / OPG (Top Guard, Level I)		
K9153	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	250	\$2,090.00
K9152	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB The K9152 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, heater, or defroster. Refer to illustrated parts list to order these components.	707	\$9,572.00
K7479	CAB MIRROR KIT Includes 2 side mirrors, 1 for each side, 1 rear mirror, and attaching hardware.	11	\$328.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	3	\$107.00
K6746	AIR SUSPENSION SEAT KIT KX040-5 (Cab Only)	86	\$1,179.00
PART 5	KubotaNOW TELEMATICS SERVICE KubotaNOW Telematics Service includes a three (3) year term <i>All KX040-5 orders will come standard with telematics.</i> Modem shown below is for replacement only.		
DCU6770	AT&T Telematics Modem	1	\$461.00
PART 6	AVAILABLE FROM PARTS		
70000-00297	Block Heater Kit		
77700-08686	Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting		
77700-08687	Rotating Beacon, Class 1, Halogen (beacon light only) w/ magnetic mounting		
77700-10379	Wire harness needed for installation of Strobe (77700-08686) and Beacon (77700-08687) <u>on ROPS machines ONLY</u>		
RD829-53870	Switch for Strobe (77700-08686) and Beacon (77700-08687) <u>ROPS</u> Versions		

This page intentionally left blank.